EU Declaration of Conformity No. SAR/D017



This declaration of conformity is issued by Specialist Access & Rescue Products Ltd. Of Sarena House, Vulcan Street, Oldham, OL1 4LQ

We herby declare that:

Equipment: Aluminium Oval Karabiners

Models: Aluminium Oval Karabiner with screwgate (K0023 & K0024) &

Aluminium Oval Karabiner with triplock gate (K0025 & K0026)

is in conformity with PPE EU Regulations 2016/425, as well as the applicable requirements of the following standards (where applicable)

Ref No.

EN362 2 4 Class B

Notified body: SATRA Technology Europe Limited. Bracetown Business Park. Clonne

D15YN2P. Republic of Ireland

Notified Body No: **C**€ 2777

Performed the EU type examination and issued the EC type examination certificate number:

2777/25646-01/E01-01

The PPE is subject to the conformity assessment procedure. Conformity to type Based on Quality Assurance of the Production Process Module D. Under the surveillance of the above Notified Body.

Signed by:

Name: Lee Allport

Position: Operations Director

Done At: SAR Products - Sarena House, Vulcan Street, Oldham, OL1 4LQ

On: 1 /07/24

Product Details

These instructions cover the use of SAR Products Connectors. conforming to CE EN362:2004
This equipment may be used in conjunction with any appropriate item of Personal Protective Equipment (PPE) relevant to European Union Regulation 2016/425. They may be acceptable for use in other applications, if in doubt contact SAR Products.

Markings/Labelling:

- A Manufacturers identification
- **B** Minimum Breaking Strength
- C European Standard
- **D** Product Code
- **E** CE Mark and notified body number,
- **F** Year of Manufacture. Batch Number. Serial Number (e.g. 200100001)
- **G** Book Pictogram reminder that the end user should read and understand the supplied user instructions.

WARNING!

Working at height and related activities are inherently dangerous. It is the responsibility of any person using this equipment to learn. understand and practice the proper techniques for use of the equipment for its designated purposes. It is impossible for this document to cover every eventuality and incorrect use of this equipment may result in fatal consequences. This equipment should only be used by a competent person or a person specifically trained in its use. This equipment should not be used by persons with medical conditions that may affect the safety of the user. You are responsible for your own actions and any person using this equipment assumes all risks and full responsibility for all damages or injury which may result from the use of it. No responsibility will be accepted by SAR Products for damage, injury or death resulting from

It is impossible in this booklet to cover all methods of use. The following instructions and pictograms show some of the common correct and incorrect methods of use; it is impossible to predict them all There is no substitute for instruction by a trained and competent person. It is essential that a risk assessment is carried out prior to any use and a rescue plan shall be in place to deal with any emergencies that could arise during the work.

If this product is resold outside the original country of destination the reseller should provide these instructions for use in the language of the country in which the product is sold

Gate Mechanisms

Immediately before, during and after use, visually/ functionally inspect to ensure that this equipment is in a serviceable condition and operates correctly. Do a functional check by fully opening the gate then release - the gate should fully close and selflock (except screwgate mechanism). A thorough examination must be carried out at least annually by a competent person or more frequently depending on local legislation. intensity of use, or external factors such as temperature, the effects of chemicals, rust, abrasion or other local damage. All inspections should be recorded in recorded in an equipment record log similar to the one below.

The user should be aware of its history (use, storage, inspection etc.). If this equipment is not for personal use (e.g. used in mountaineering centers). we strongly recommend a systematic approach to record keeping. This should always be carried out by a competent person. If you are in any doubt about the safe condition of this equipment, or if it has been used in a fall arrest it should immediately be withdrawn from use and checked by a competent person.

Cleaning, Storage and Transport

This equipment must not be marked, modified or repaired by the user. Note: This equipment is not user maintainable with the exception of the following: Cleaning: if required clean with a mild household detergent and rinse in clean water. Thoroughly rinse and dry naturally in a warm ventilated room away from direct heat. Important: Cleaning is recommended after every use in a marine environment. Lubrication: Lubricate the mechanism with suitable light oil. This should be carried out after cleaning. Cleaning and lubrication may cure a defective mechanism. if it does not, replace the product immediately. Lubrication is recommended after every use in a marine environment

Storage and transport: this product should be stored in a clean. dry environment free from chemicals or corrosives and away from excessive heat or high humidity.

Lifespan

This is the maximum life of the product, subject to detailed conditions. that the Manufacturer recommends that the product should remain in service. Metal Products- Indefinite. This may be as little as a single use, (or even earlier if damaged e.g. in transit or storage prior to first use) when considering the following criteria: fall arrest, general wear. chemical contamination. corrosion, mechanical malfunction/ deformation, cracks, loose rivets, heat contamination (over normal climatic conditions), markings (such as serial numbers) must be clear and readable. Materials used are primarily steel, stainless steel and aluminium

In lise

The anchorage point of your fall arrest system should as a minimum conform to EN795 (or appropriate International Standard depending on which country the equipment is sold) and ideally be positioned above the user in such a way to minimise the potential for falls and fall distance The length of the connector should be taken into account when used in a fall arrest system as it will influence the overall fall distance

Care must be taken if this connector is likely to be loaded using wide straps(> 72mm wide) as this may reduce the strength of the connector if loading occurs. Avoid loading the connector in multiple directions. Avoid sideloading the connector or loading it over an edge.

Connectors with manual locking/self closing gates should only be used where the user does not have to attach and remove the connector frequently.

When using a captive pin the rope or webbing should be captivated inside the eye.


A full body harness is the only acceptable body holding device that can be used in a fall arrest system. Refer to your harness instruction to identify the relevant connection point to use

This equipment is designed for use in normal climactic conditions (-40°C- +50°C)

Do not make alterations or carry out repairs to this equipment. This equipment should not be used outside of its limitations or for any purpose other than that which it ls intended. Danger may arise from the use of combinations of items of equipment in which the safe function of any one item is affected by or interferes with the safe function of another

EZYID Compatibility

Where products are EZVID enabled it means they can be or are fitted with a highly robust RFID tag which contains a unique serial number that is permanently associated with the product. This makes ongoing identification of the product easier and could significantly increase its lifespan



Product Code xxxx/EZYiD = EZYiD Enabled

Declaration of Conformity

SAR Products Ltd declares that the products described above conform to the EU Regulation 2076/425 Personal Protective Equipment. EU type examination and ongoing conformity assessment is carried out by

SATRA Technology Europe Ltd (NB2'777) Bracetown Business Park, Clonee, Co Meath,

Co Meath, D15 YN2P Ireland

SATRA Technology Europe (NB2777) also performed the EU type examination (Module B)


according to applicable standard EN362:2004

and issued EU type examination certificates which can be found at www.sar-products.com/eu-doc/



SAR Products Ltd

Sarena House, Vulcan Street, Oldham, OL1 4LQ United Kingdom



Supplied by www.sar-products.com


Karabiners

Karabiners



X

X



Operation


DA

Snaphook

SG

TA

Name of Parts **Gate Opening** Frame Gate Spine of Frame Barrel Model 'A' mm Frame Screwgate/SG 19mm K0023 & K0024 Triple Action/TA 19mm K0025 & K0026 Front Back Latch Latch Captive Eye



Product Inspection Record Card Example